Kisey, H.P. 1712-13

2: CATALOG: Spring, 1913

### SEY'S

### Rhododendrons, Azaleas and Other Hardy Native American Plants

Grown in the Carolina Mountains, at 3,800 feet elevation

HIGHLANDS NURSERY, Saginaw, N. C.



Abies fraseri, specimen on grounds of Highlands Nursery. Greatly superior to Abies balsamea, which is of little permanence or value.

To Landscape Architects, Parks, Cemeteries, Botanical Gardens and other Public Institutions a special discount of 10% will be allowed on prices in this catalog.

claims must be me chere is any mistake or fault on our part, it will be gladly rectified.

All shipments travel at consignee's risk, and transportation companies must be held liable for damage in transit.

Always HARLAN P. KELSEY

Owner of Highlands Nursery, and Salem and Boxford Nurseries

SALEM, MASS., U.S.A.

Cable Address: KELMONT - SALEM

YK. 55% -

#### **KELSEY'S** Hardy American Plants Rhododendrons and Azaleas

CATALOG OF HIGHLANDS NURSERY

#### Information

HIGHLANDS NURSERY SHIPMENTS are made from Pincola, N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk Steamship Lines, deliveries to northern and castern points are quiek and rates low.

SALEM AND BOXFORD NURSERIES SHIPMENTS are made from Salem or Boxford direct, and Salem and Boxford price-lists must be used in ordering. Prices are about 25 per eent higher than for similar stock at our main Highlands Nursery. A fine stock of specimen Rhdodendrons, Azalcas, Conifers, etc., may be seen at Salem and Boxford Nurseries, and deliveries to eastern points rarely take more than a day or two take more than a day or two.

SHIPMENTS OF "COLLECTED" RHODODENDRON MAXIMUM AND KALMIAS are from our special fields in Pennsylvania and the South, depending on destination and quality of stock desired. The best clumps come from the South from high altitudes.

"COLLECTED" RHODODENDRON CATAWBIENSE RHODODENDRON AND CAROLINIANUM (PUNC-**TATUM**) eome only from the South.

OUR NURSERIES ARE UNIQUE, being the first and only to grow Native American Ornamentals, and we now have the only large and complete stock of Hardy American Plants in existence.

THE LOCATION OF HIGHLANDS NURSERY also is unique, an elevation of 3,800 feet insuring unquestioned hardiness.

SHIPPING BEGINS IN SEPTEMBER, when we send out large Rhododendrons, Kalmias, and other evergreens, and bulbs and herbaceous plants, general stock going out in Octo-ber and November, and in spring from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to us. We use our best judgment but assume no risk.

OUR EXPORT SHIPMENTS reach the most remote countries in perfect condition; we have exported for over 25 years, and know how to pack.

A DESCRIPTIVE CATALOG, beautifully illustrated, is gladly mailed on request, and advice on the right way to grow Rhododendrons, Azaleas and other native plants gladly given.

#### HARLAN P. KELSEY, Owner

Cable Address KELMONT-SALEM

SALEM, MASS.

#### Where Kelsey's Hardy American Plants Are Grown

HIGHLANDS NURSERY, under ideal natural conditions at 3,800 feet clovation in the Southern Alleghanies, produces absolutely hardy stock for latitudes as far north as Ottawa, Canada.

SALEM AND BOXFORD NURSERIES carry specimen plants, and nro distributing points for New England. Send for Catalogs.

SPECIALTIES: Rhododendrons, Azaleas, Kalmias, Leucothoës, Galax, Rare Ericacee, Lilies, Trilliums, and the largest general collection of Hnrdy Nntive American Plants in oxisteace. Carlond shipments for mass-planting.

LANDSCAPE DEPARTMENT. Planting plans made and executed. Wild gardens, woodland "under-planting," bog- and water-gardens, rockories. Broad-leaved Evergreen effects. Foraial gardens.

September and October is the time to successfully ship and plant Lilies, Trilliums, Cypripediums, Erythroniums and other Bulbs, and many Herbaceous Plants.



Azalea arborescens

### DECIDUOUS AND EVERGREEN Trees, Shrubs and Woody Vines

NOTE.—All plants are transplanted and nursery-grown unless plainly marked otherwise.

Bear in mlnd this is a catalog of Nursery-grown plants growing at our Highlands Nursery, Saginaw, North Carolina, where we have 100 acres in Nursery. For Catalog of Salem and Boxford Nurseries, see pages following 16,

Per 10 100 1,000

	G1 10	100	1,000
*Ables concolor. 1 to 11 ft	\$3 00	\$25 00	
1½ to 2 ft	5 00	40 00	
*douglasii. See Pseudotsuga.		-0 00	
fraseri. 6 to 12 in	75	6 50	
1 to 1½ ft			200 00
11 +0 9 6	0.50	10 00	\$90 00
$\frac{11}{2}$ to $\frac{5}{2}$ ft	2 50	22 50	$200 \ 00$
2 to 3 ft	5 00	40 00	
Acer pennsylvanicum. 2 to 3 ft	1 50	12 50	
3 to 4 ft	$2^{-}00$		
rubrum. 3 to 1 ft	2 00		
saccharum. Sugar Maple. 6 to 12 in	25	2 00	15 00
1 to 2 ft	50	1 00	25 00
2 to 3 ft	60	5 00	10 00
3 to 4 ft	75	6 00	10 00
spicatum. 6 to 12 in	75	6 00	
1 to 9 ft			
1 to 2 ft	1 00	8 50	
2 to 3 ft	2 00		
Adelia acuminata. 2 to 3 ft	4 00		
Æsculus octandra. 1 to 2 ft	50		
Alnus alnobetula. 4 to 6 ft., clumps	4 00	37 - 50	
rugosa. 1 to 2 ft	1 50		
Amelanchier botryapium. i to 2 ft	1 00	8 50	
2 to 3 ft	1 25	10 00	
3 to 4 ft		17 50	
4 to 6 ft	3 00	25 00	
Ampelopsis (Parthenocissus) engelmanll.	000	20 00	
Ampelopsis (Farthenocissus) engelmanii.		0.00	
Light	75	6 00	50 - 00
Strong	1 25	10 00	
vitacea. 1 to 2 ft	3.50		
Andromeda (Pleris) arborea. See Oxydendrur	n.		
catesbæl. See Leucothoe.			

EVERGREENS ARE MARKED WITH A STAR (\*)

#### TREES, SHRUBS AND VINES, continued

\*Andromeda floribunda. Mountain Andromeda. 2 to 4 feet. Compace bush, with shining green leaves and abundant racemes of showy white flowers in May. Without doubt, the choicest of all this section of the Andromeda family. We have over 5,000 bushy plants and

the Andromeda lamily. We have over 5,000 busny pla	
clumps on hand at our Nurseries, all with balls, and budde	ed.
Per 10	100
6 to 12 in., clumps\$10 00	\$90 00
1 to 1½ ft., clumps	125 00
ligustrina. See Xolisma.	
Aralia spinosa. 1 to 2 ft	
Aristoiochia sipho. 6 to 12 in	10 00
1 to 2 ft 1 50	12 50
Aronia (Pyrus) arbutifolia. Brilliant scarlet berries. The	Aronias
are not surpassed by any undershrub for finished and pe	rmanent
effect. Glossy foliage, brilliant fruit and graceful growth.	
Per 10 100	1,000
6 to 12 in	_,
1 10 2 11 1 75 15 10	
1 to 2 it	
2 to 3 ft	\$90 00

#### HARDY AMERICAN AZALEAS

American Azaleas are among the choicest ornamentals, whether exotic or native, and were but rarely seen in cultivation before being disseminated by Highlands

Nursery.

They are seen at their best when planted in large best when planted in large masses and in properly prepared beds, and they richly repay any unusual care given them. Like most ericaceous p'lants they love deep, moist, well-drained soil, and these showy (native species are particularly adapted to planting in cies are particula adapted to planting shrub borders and with rhododendrons, their bril-liant blossoms being set

off by a background of dark foliage. The complete hardiness of all the species we offer is unquestioned. No American shrubs

American shrubs equal the native Azaleas, particularly A. lutea, for woodland and hillsides.

Our Carolina mountains have added no more beautiful plant gardens than these neriean Azuleas, not en excepting the mag-American even excepting the mag-nificent rhododendrons. Our stock of Azaleas, es-pecially A. arborescens and A. lulea is unequaled. A. lulca is unequated. Usually all sizes over 1ift. are budded, and special attention is called to the larger-sized clumps. These are very desirable for immediate and permanent

> 00 00



Azalea vaseyi

iut

effects. Such specimen stock has never been offered before. 

0 10 12 11	1 817 8	อบ
i to 1½ ft 3 50	32	50
i} to 2 ft 4 00	37	50
6 to 12 in., elumps 6 00	50 (	00
i to i ft., clumps 8 50	75 (	00
1½ to 2 ft., clumps	125	00
2 to 3 ft., elumps30 00	260 (	00
3 to 4 ft., clumps	)	
iescens. 1 to i ft 4 00	)	
ca (caicaduiacca). Great flame-colored		
Azalea. 6 to 12 in 1 50	12 .	50 \$10
1 to 1} ft	22	50 - 20
$\frac{11}{2}$ to $\frac{2}{3}$ ft 3 00		
6 to 12 in., elumps 3 00	27	
i to 11 ft alumni t on		-0 00

1 to 2 ft... 6 to 12 in., elumps. i to 1 to 1, ft., clumps... 3 00 3 00 4 00 50 37 EVERGREENS ARE MARKED WITH A STAR (\*)

# KELSEY'S Hardy American Plants Rhododendrons and Azaleas CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS AND VINES,	cor	tinu	ıed			
Azalea lutea, continued	Per	10	10	ĸ	1.0	00
1½ to 2 ft., clumps			\$62		-,-	• •
		00	90			
2 to 3 ft., elumps			200			
3 to 4 ft., elumps	. 25	UU	200	UU		
nudifiora. Pinxter Flower.		-0			2100	00
6 to 12 in					\$100	UU
1 to $1\frac{1}{2}$ ft	. 2	50	22			
6 to 12 in., clumps	. 3	00	27	50		
1 to 1½ ft., clumps	1	00	37	50		
1½ to 2 ft., clumps						
vaseyi. Southern Azalea. April and May.	Thi	s sli	owy	Az	alea v	vas
discovered in 1878, and introduced by High	iland	ls N	ursei	v v	ery so	on
after. The most profuse bloomer of all the	กกเ	ive	speci	es.	Flow	ers
pink or deep rose-colored. Foliage deep eri						•••
plan of deep rose-colored. Totalge deep en	Per	10	10	n	1.0	በበ
6 to 12 in			\$22		1,0	00
			32			
$\frac{1}{2} \text{ to } 1^{\frac{1}{2}} \text{ ft.}$		50				
$1\frac{1}{2}$ to 2 ft		50	62			
6 to 12 in., clumps		00	50			
1 to 1½ ft., elumps	. s	50	80			
vlscosa. 6 to 12 in	. 1	50	12	50	\$100	00
1 to 1½ ft	. 2	00	17	50	150	00
1½ to 2 ft		50	32	50		
6 to 12 in., clumps		00	27	50		
1 to 1½ ft., clumps		00	37	50		
1½ to 2 ft., clumps		00	50	00		
12 to 2 to, clumps	. 0	00	50	00		



Azalea Iutea		
	r 10 10	00 1,000
Benzoin (Lindera) benzoln. 2 to 3 ft\$2	00 \$17	50
3 to 1 ft 3	00 - 25	00
Berberls aquifolium (repens). 3 to 6 in 3	50 - 32	50
thunbergii. 6 to 12 in	90 7	
$\tilde{1}$ to $1\frac{1}{2}$ ft	25 10	
Betula lenta. 3 to i ft 1		50
4 to 6 ft		50
6 to 8 ft 3		
8 to 10 ft 5		
lutea. 8 to 10 ft 5	00	50
Butneria (Calycanthus) fertills. 1 to 2 ft 1		50
2 to 3 ft	50	00
floridus. 1 to 2 ft		00
2 to 3 ft	$\frac{25}{50}$ 10	00
3 to 1 ft		50 75 00
*Blgnonia crucigera. 6 to 12 in		50 75 00 50
Carpinus caroliniana (americana). 2 to 3 ft 1		50
		00
4 to 6 ft		50
Castanea pumlla. Chinkapin.	00 21	00
6 to 12 in	50 12	50
1 to 2 ft		50
2 to 3 ft		50
Ceanothus americanus. i to 1½ ft	50	-
Celastrus punctata. 6 to 12 in		00
1 to 2 ft		50
2 to 3 ft		50
	A STAR	(*)

# KELSEY'S Hardy American Plants Rhododendrons and Azaleas CATALOG OF HIGHLANDS NURSERY

TD <sub>2</sub>	ntint er 10	100	1.000
Celastrus scandens. 6 to 12 in	00	\$8 50 12 50	1,000
Cephalanthus occidentalis. 1 to 2 ft	25	12 00	
3 to 4 ft	50	19 50	
*Chamædaphne calyeulata. 6 to 12 in 1 to 1½ ft	00	12 50 17 50	
1½ to 2 ft		15.00	
1 to 2 ft 1 2 to 3 ft 2	50	15 00	
4 to 0 ft	00 20 ft.	Tall shr	uh, with
handsome reddish bark and drooping races Moist situations or shruhhery. A characteris			
	er 10	100	1,000
1 to 2 ft		\$8 50 12 50	
4 to 6 ft		37 50	
alnifolia. 6 to 12 in	2 00	8 50 17 50	
1 to 2 ft., clumps	1 00 1 00	37 50 8 50	
Cornus amonum. 1 to 2 ft	75 75	6 00 6 00	
	2 00	12 50 17 50	
1 to 2 ft., elumps	2 50	22 50 32 50	
rostrata. 0 to 12 in	75	6 00 8 50	\$50 00 75 00
1 to 2 ft., elumps	50	12 50 22 50	100 00
Cratsegus eccelnes. 1 to 2 ft	L 25	10 00	
punctata. 0 to 12 in	75	6 00 8 50	50 00
2 to 3 ft	L 50	12 50 17 50	
*Dendrium buxifolium. 3 to 0 in., clumps	L 00	8 50	
6 to 12 in*  *prostratum. Mountain Heath. 6 to 12 in. Tl prostrate form of this beautiful genus.	ie Ca	rolina mo	ountains
closely covering the surface with a hed of gree or June, produces a striking effect. The d	n. I	n full bloc	om Mav
with pink.	er 10	100	o timecu
3 to 0 in clumps \$5	טר כ	100 \$17.50	1,000
3 to 0 in., elumps	2 00	\$17 50 27 50	1,000
3 to 0 in., clumps	2 00 3 00 1 25 2 50	\$17 50 27 50 10 00	1,000
3 to 0 in., elumps	2 00 3 00 1 25 2 50 1 00 1 75	\$17 50 27 50 10 00 8 50 15 00	1,000
3 to 0 in., elumps	2 00 3 00 1 25 2 50 1 00 1 75 1 50	\$17 50 27 50 10 00 8 50 15 00 12 50 12 50	1,000
3 to 0 in., elumps	2 00 3 00 1 25 2 50 1 00 1 75 1 50 1 50 3 50	\$17 50 27 50 10 00 8 50 15 00 12 50 12 50 30 00 8 50	1,000
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilia diervilia (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. Fraxinus americana. 2 to 3 ft. 4 to 0 ft.	2 00 3 00 1 25 2 50 1 00 1 75 1 50 1 50 3 50 1 00 1 25 2 00	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00	1,000
3 to 0 in., elumps	2 00 3 00 1 25 2 50 1 00 1 75 1 50 1 50 1 00 1 25 2 00 75 1 00	\$17 50 27 50 10 00 8 50 15 00 12 50 12 50 30 00 8 50 10 00 6 00 8 50	1,000
3 to 0 in., elumps	2 00 3 00 1 25 2 50 1 00 1 75 1 50 1 50 1 00 1 25 2 75 1 00 1 75 1 00 1 75 1 00 1 75	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 6 00	1,000
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilla diervilla (trifida). 0 to 12 in. sessili folia. 1 to 2 ft.  Diospyros virginiana. 6 to 12 in. 1 to 2 ft.  Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. 4 to 0 ft. 1 anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 regona. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in.	2 00 3 00 1 25 2 50 1 00 1 50 1 50 1 50 1 25 2 00 1 00 1 25 2 00 1 00 1 25 2 00 1 00 1 00 1 00 1 00 1 00 1 00 1 00	\$17 50 27 50 10 00 8 50 15 00 12 50 12 50 30 00 8 50 10 00 6 00 8 50	1,000
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilia diervilla (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. Fraxinus americana. 2 to 3 ft. 4 to 0 ft. 1anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 regona. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. ursina. 1 to 2 ft. eursina. 1 to 2 ft. elumps.	2 00 3 00 1 25 2 50 1 75 1 50 1 50 1 75 1 50 1 75 1 75 1 75 1 75 1 75 1 75 1 75 1 75	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 6 00 8 50 15 00	1,000
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilla diervilla (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft.  Diospyros virginiana. 6 to 12 in. 1 to 2 ft.  Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. 4 to 0 ft. 1anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 regona. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. ursina. 1 to 2 ft., elumps. Hamamells virginica. Witch Hazel. 6 to 12 in. 1 to 2 ft	2 00 3 00 1 25 1 00 1 75 1 50 1 50 1 25 1 00 1 00 1 00 1 00 1 00 1 00 1 00 1 0	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 6 00 8 50 15 00	1,000
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilia diervilia (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. Fraxinus americana. 2 to 3 ft. 3 to 4 ft. 4 to 0 ft. 1anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 regona. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. ursina. 1 to 2 ft., elumps. Hamamelis virginica. Witch Hazel. 6 to 12 in. 1 to 2 ft. 4 to 6 ft. Urdangea arborescens. 0 to 12 in.	2 00 3 00 1 25 1 00 1 75 1 50 1 25 2 00 1 25 1 00 1 1 25 1 25 1 25 1 25 1 25 1 25 1 25 1	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 6 00 8 50 15 00 8 50 15 00	1,000
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilla diervilla (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. 4 to 0 ft. 1anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 to 8 ft. 0 to 8 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. ursina. 1 to 2 ft., elumps. Hamamells virginioa. Witch Hazel. 6 to 12 in. 1 to 2 ft. 4 to 6 ft.	2 00 3 00 5 2 50 1 2 50 1 75 1 50 1 50 1 2 50 1 75 1 75 1 75 1 75 1 75 1 75 1 75 1 75	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 8 50 15 00 8 50 15 00	
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilia diervilla (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. Fraxinus americana. 2 to 3 ft. 3 to 4 ft. 4 to 0 ft. 1anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 regona. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. ursina. 1 to 2 ft., elumps. Hamamelis virginica. Witch Hazel. 6 to 12 in. 1 to 2 ft. 4 to 6 ft. Urdrangea arborescens. 0 to 12 in. 1 to 2 ft. 2 to 3 ft. arborescens grandifiora. 1 to 2 ft. *Hyperioum aureum. 1 to 2 ft.	2 00 3 00 3 00 5 2 2 50 1 75 1 50 1 50 1 50 1 50 1 50 1 50 1 50 1 5	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 8 50 15 00 8 50 15 00	
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilla diervilla (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. 4 to 0 ft. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 to 8 ft. 0 to 8 ft. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. 4 to 6 ft. 4 to 6 ft. 1 to 2 ft. 4 to 6 ft. 4 to 6 ft. 1 to 2 ft. 4 to 6 ft. 4 to 6 ft. 4 to 6 ft. 1 to 2 ft. 4 to 6 ft. 4 to	2 00 3 00 1 25 1 00 1 75 1 50 1 50 1 50 1 50 1 50 1 50 1 50 1 5	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 6 00 8 50 15 00 8 50 15 00 15 00 10 00 15 00 20 00	\$90 00
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilia diervilla (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. Fraxinus americana. 2 to 3 ft. 3 to 4 ft. 4 to 0 ft. 1anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 regona. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. ursina. 1 to 2 ft., elumps. Hamamelis virginica. Witch Hazel. 6 to 12 in. 1 to 2 ft. 4 to 6 ft. 2 to 3 ft. xaborescens grandifiora. 1 to 2 ft. *Hyperioum aureum. 1 to 2 ft. 2 to 3 ft. *densifiorum. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft.	2 00 3 00 3 00 1 2 50 1 00 1 50 1 50	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 8 50 15 00 8 50 15 00 8 50 15 00 8 50 15 00 8 50 15 00 10 00 10 00 15 00 20 00 15 00 15 00 10 00	
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilla diervilla (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. 4 to 0 ft. 1 to 2 ft. 1 anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 to 8 ft. 0 to 8 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. 4 to 6 ft. 4 to 6 ft.  1 to 2 ft. 4 to 6 ft. 4 to 6 ft.  1 to 2 ft. 4 to 6 ft. 5 to 12 in. 5 to 2 ft. 6 to 12 in. 6 to 12 in. 6 to 12 in. 7 to 12 in. 8 to	2 00 3 00 5 00 1 2 50 1 75 1 50 1 50 1 1 2 50 1 2 50	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 8 50 15 00 8 50 15 00 10 00 10 00 10 00 10 00 10 00 10 00 15 00 20 00	\$90 00
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilla diervilla (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. Fraxinus americana. 2 to 3 ft. 4 to 0 ft. 1anceolata. 2 to 3 ft. 4 to 6 ft. 0 to 8 ft. oregona. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. ursina. 1 to 2 ft. 4 to 6 ft. 4 to 6 ft. 4 to 6 ft.  Yet arborescens. 0 to 12 in. 1 to 2 ft. 2 to 3 ft. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 5 to 3 ft.	2 00 3 02 3 02 5 00 6 1 2 5 6 1 2 5 6 1 2 5 7 5 8 5 8 5 9 00 9 1 2 5 9 1	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 8 50 15 00 8 50 15 00 8 50 15 00 15 00 15 00 20 00	\$90 00 60 00
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilla diervilla (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft.  Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft.  Fraxinus americana. 2 to 3 ft. 3 to 4 ft. 4 to 0 ft. 1anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 to 8 ft. 0 to 8 ft. ursina. 1 to 2 ft., elumps. Hamamelis virginica. Witch Hazel. 6 to 12 in. 1 to 2 ft. 4 to 6 ft.  Hydrangea arborescens. 0 to 12 in. 1 to 2 ft. 2 to 3 ft. xaborescens grandiflora. 1 to 2 ft. *Hyperioum aureum. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. *prolificum. 0 to 12 in. 2 to 3 ft.  1 to 2 ft. 2 to 3 ft.  *densiflorum. 1 to 2 ft. 2 to 3 ft.  1 to 2 ft. 2 to 3 ft.  *prolificum. 0 to 12 in. 2 to 3 ft.  *prolificum. 1 to 2 ft. 2 to 3 ft.  *glabra. 6 to 12 in. monticola. Mountain Holly. 15 to 25 ft. Th.  *glabra. 6 to 12 in. monticola. Mountain Holly. 15 to 25 ft.	2 00 3 00 3 00 5 00 1 00	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 8 50 15 00 8 50 15 00 10 00 15 00 20 00 8 50 15 00 20 00	\$90 00 60 00
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilia diervilia (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. Fraxinus americana. 2 to 3 ft. 3 to 4 ft. 4 to 0 ft. 1anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 regona. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. ursina. 1 to 2 ft. 4 to 6 ft. Hydrangea arborescens. 0 to 12 in. 1 to 2 ft. 2 to 3 ft. *densifiorum. 1 to 2 ft. *#Hyperioum aureum. 1 to 2 ft. 2 to 3 ft. **densifiorum. 0 to 12 in. 2 to 3 ft. **prolificum. 0 to 12 in. 2 to 3 ft. **glabra. 6 to 12 in. monticola. Mountain Holly. 15 to 25 ft. The nous Hollies, the pistillate plant produe fruit in symmetrical rows in fall and early	2 00 3 00 3 00 5 00 1 2 50 1 7 5 1 00 1 5 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 8 50 15 00 8 50 15 00 10 00 15 00 20 00 15 00 20 00 15 00 8 50 15 00 15 00 16 00 17 50 17 50 18 50 17 50 18 5	\$90 00  60 00  de decid- searlet ting the
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilla diervilla (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. 4 to 0 ft. 1 to 2 ft. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 to 8 ft. 0 to 8 ft. 0 to 2 ft. 4 to 6 ft. 4 to 6 ft. 1 to 2 ft. 4 to 6 ft. 5 to 3 ft. 5 to	2 00 3 00 3 00 1 2 50 1 75 1 50 1 50	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 8 50 15 00 8 50 15 00 15 00 20 00 15 00 20 00 15 00 20 00 15 00 20 00 15 00 20 00 15 00 20 00 15	\$90 00 60 00
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilia diervilla (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. Fraxinus americana. 2 to 3 ft. 3 to 4 ft. 4 to 0 ft. 1anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 regona. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. ursina. 1 to 2 ft., elumps. Hamamelis virginica. Witch Hazel. 6 to 12 in. 1 to 2 ft. 4 to 6 ft.  Yet of t.  2 to 3 ft.  *Hyperioum aureum. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. *prolificum. 0 to 12 in. 2 to 3 ft.  *densifiorum. 1 to 2 ft. 2 to 3 ft.  *glabra. 6 to 12 in. monticola. Mountain Holly. 15 to 25 ft. The nous Hollies, the pistillate plant production fruit in symmetrical rows in fall and early local name of "Bead Bush."  O to 12 in.  \$ to 2 ft. 2 to 3 ft.  *Signal and early local name of "Bead Bush."  O to 12 in. \$ 1 to 2 ft. 2 to 3 ft.  *Signal and early local name of "Bead Bush."  O to 12 in. \$ 1 to 2 ft. 2 to 3 ft.  *Signal and early local name of "Bead Bush."  O to 12 in. \$ 1 to 2 ft. 2 to 3 ft.  *Signal and early local name of "Bead Bush."  O to 12 in. \$ 1 to 2 ft. 2 to 3 ft.  *Signal and early local name of "Bead Bush."  O to 12 in. \$ 1 to 2 ft. 2 to 3 ft.  *Signal and early local name of "Bead Bush."  O to 12 in. \$ 1 to 2 ft. 2 to 3 ft.  *Signal and early local name of "Bead Bush."  O to 12 in. \$ 2 to 3 ft.  *Signal and early local name of "Bead Bush."  O to 12 in. \$ 2 to 3 ft.  O to 12 in.  Signal and early local name of "Bead Bush."  O to 12 in.  Signal and early local name of "Bead Bush."  O to 12 in.  Signal and early local name of "Bead Bush."  O to 12 in.  Signal and early local name of "Bead Bush."  O to 12 in.  Signal and early local name of "Bead Bush."  O to 2 ft.	2 00 3 00 3 02 5 00 1 2 50 1 3 50 1 50	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 6 00 8 50 15 00 8 50 10 00 10 00 15 00 20 00 6 00 8 50 15 00 15 00 20 00 8 50 15 00 15 00 15 00 15 00 8 50 15 00 15 00 1	\$90 00  60 00  de decid- searlet ting the
3 to 0 in., elumps. 0 to 12 in., elumps. Diervilia diervilia (trifida). 0 to 12 in. sessilifolia. 1 to 2 ft. Diospyros virginiana. 6 to 12 in. 1 to 2 ft. Dirca palustris. 0 to 12 in. Euonymus americanus. 1 to 2 ft. 3 to 4 ft. Fraxinus americana. 2 to 3 ft. 3 to 4 ft. 4 to 0 ft. 1anceolata. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 0 to 8 ft. 0 regona. 1 to 2 ft. Gaylussacia resinosa. 6 to 12 in. 1 to 2 ft. ursina. 1 to 2 ft. 4 to 6 ft.  Hydrangea arborescens. 0 to 12 in. 1 to 2 ft. 2 to 3 ft.  *to 6 ft.  *Hyperioum aureum. 1 to 2 ft.  *#Hyperioum aureum. 1 to 2 ft.  2 to 3 ft. 3 to 4 ft.  *#Hyperioum aureum. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft.  *prolificum. 0 to 12 in. 2 to 3 ft.  *glabra. 6 to 12 in. monticola. Mountain Holly. 15 to 25 ft. The nous Hollies, the pistillate plant production fruit in symmetrical rows in fall and early local name of "Bead Bush."  Po 0 to 12 in.  \$ to 2 ft. \$ to 2 ft. \$ to 2 ft. \$ to 2 ft. \$ prolificum. 0 for 12 in. \$ to 2 ft. \$ to 3 ft. ft. \$ to 4 ft. \$ to 3 ft	2 00 3 00 3 02 5 00 1 75 1 00 1 5 00 1 5 00 1 2 00 1 3 00 1 3 00 1 5 00 1	\$17 50 27 50 10 00 8 50 15 00 12 50 30 00 8 50 10 00 8 50 15 00 8 50 15 00 10 00 10 00 15 00 20 00 8 50 15 00 8 50 10 00 10	\$90 00  60 00  de decid- searlet ting the



Kalmia latifolia at Highlands Nursery

TREES,	SHRUBS	AND	VINES,	continued
--------	--------	-----	--------	-----------

	Per	10	104	0	1,000
*Hex opaca. American Holly. 6 to 12 in	. \$2	50	\$20	00	\$180 00
1 to 1½ ft			27	50	
11 to 2 ft			37	50	
2 to 3 ft					
verticiliata. 6 to 12 in			12	50	100 00
1 to 2 ft			17	50	
Ilicioides (Nemopanthes) mucronata.	• -	• -			
6 to 12 in	. 1	50			
*Juniperus virginiana. 6 to 12 in			10	00	90 00
1 to 1½ ft			12	50	
1½ to 2 ft			32	50	
Kalmia angustifolia. 6 to 12 in			10	00	
1 to 1½ ft			17	50	
glauca. 6 to 12 in					
latifolia. Mountain Laurel. One of the			t of	our	native.
broad-leaved evergreen shrubs, attaining to	ee-l	ike r	горо	rtio	ns in our

the North.	Per	r 10	10	0	1,0	00
3 to 6 in	\$0	50	\$4	00	\$30	00
6 to 9 in	1	00	8	50	75	00
9 to 12 in	1	50	12	50	100	00
1 to 1½ ft	2	00	18	00	160	00
1½ to 2 ft			37	50	325	00
9 to 12 in., elumps			40	00		
1 to 1½ ft., clumps			62	50	550	00
1½ to 2 ft., elumps			100	00		
2 to 3 ft., elumps			200	00		
3 to 4 ft., elumps						
1 to 2 ft., "collected" elumps	7	00	60	00	550	00
2 to 3 ft., "collected" elumps			100	00	850	00
3 to 4 ft., "collected" clumps	17	50	150	00	1300	00
Larix laricina (americana). 6 to 8 ft						
*Ledum grænlandicum. 3 to 6 in			10	00		
6 to 12 in		75	15	ÓΛ		

#### KELSEY'S Hardy American Plants Rhododendrons and Azaleas

### CATALOG OF HIGHLANDS NURSERY



Leucothoe catesbæi

TREES SUBLIDE AND MINES			
TREES, SHRUBS AND VINES, con	tinued		
Leucothoe catespæi, continued Per	lO 1	00	1,000
1½ to 2 ft	75 \$25	5 00 7 50	\$225 00
1 to 1½ ft., clumps 4	00 3		325 00
1½ to 2 ft., clumps	50 B		020 00
recurva. 6 to 12 in	00 .	8 50	
1 to 2 ft	75   1	5 00	
racemosa. 6 to 12 in., clumps	00 1		
1 to 1½ ft., clumps			
*japonlea, var. halliana. Light		8 50 6 50	
Strong	oŏ .	8 50	
*sempervirens. 1 to 2 ft		5 00	
Magnolia acuminata. 6 to 12 in		6 00	
1 to 2 ft.,		S 50	
	50 $ 50 $ $ 1$	2 50	
4 to 6 it 4			
6 to 8 ft 6		0 00	
tri petala. 2 to 3 ft		5 00	
3 to 4 ft		0.00	
4 to 6 ft	00 2	7 50	
6 to 12 in	50 1	2 50	
1 to 2 ft. 9	50 0	$\frac{2}{2} \frac{50}{50}$	
Menziesia pilosa. 1 to 2 ft	00 1	7 50	
Mohrodendron (Halesia) carolinum. Silver			
Bell. 6 to 12 in	00	8 50	
1 to 2 ft	50 1	2 50	
diptera. 1 to 2 ft	00		
Wayrion Ceriforn. 6 to 12 m	00	8 50	75 00
gale. 6 to 12 m 1	50 1	2 50	10 00
1 to 1½ ft 9	00 1	7 50	
Nyssa muitifiora. 6 to 12 in	00 1	7 50	
1 to 2 ft	50 3	0 00	
2 to 3 ft	20 I	0 00	
3 to 4 ft 9	ሰሰ		
Oxydonarum arboreum. Tree Andromeds. 25 t	o 50 ff	. On	c of our
inest muive trees, producing white, fragrant fl	OWNTH	Sorne	on clan-
der petioles in long, panieled racomes and very	gracef	ul foli	age that
colors brilliantly in early outness the audit it is			n.
colors brilliantly in early autumn through shace	les of el · 10	100	
0 to 42 in	· 10 25 - \$1	100 0 00	1,000
0 to 12 in	· 10 25   \$1 75     1	100 0 00 5 00	1,000 \$90 00
0 to 12 in	$egin{array}{ccc} \cdot 10 & & & 1 \ 25 & \$ 1 \ 75 & 1 \ 50 & 2 & & \end{array}$	0 00	1,000
0 to 12 in	$egin{array}{ccc} \cdot 10 & & & 1 \ 25 & \$ 1 \ 75 & 1 \ 50 & 2 & & \end{array}$	0 00 5 00	1,000 \$90 00 125 00
0 to 42 in	- 10 25 \$1 75 1 50 2	0 00 5 00 2 50	1,000 \$90 00 125 00
0 to 12 in	- 10 25 \$1 75 1 50 2 50 50 1 25 1	0 00 5 00 2 50 2 50	1,000 \$90 00 125 00
O to 12 in	10 25 \$1 75 1 50 2 50 50 1 25 1 75 1	0 00 5 00 2 50 2 50 0 00	1,000 \$90 00 125 00
O to 42 in.   Since	10 25 75 1 50 2 50 2 50 1 25 1 75 1 00 2	0 00 5 00 2 50 2 50	1,000 \$90 00 125 00
O to 42 in   Per	- 10 25	0 00 5 00 2 50 2 50 0 00 5 00	1,000 \$90 00 125 00
O to 42 in   Per	- 10 25 \$1 75 1 50 2 50 1 25 1 75 1 00 2 00 2	0 00 5 00 2 50 2 50 2 50 5 00 5 00	1,000 \$90 00 125 00
O to 42 in   State	50 1 50 2 50 2 50 1 25 1 75 1 00 2 00 2	0 00 5 00 2 50 2 50 0 00 5 00 5 00	1,000 \$90 00 125 00
O to 42 in.   Per	10 25 \$1 75 1 50 2 50 50 1 25 1 1 75 1 25 1 25 1 25 1 25 1 25 1 25 1 25 25 25 25 25 25 25 25 25 25	0 00 5 00 2 50 2 50 2 50 5 00 5 00	1,000 \$90 00 125 00
O to 12 in.   Per	75 \$1 75 1 50 2 50 2 50 2 50 1 75 1 00 2 00 4 70 00	0 00 5 00 2 50 2 50 0 00 5 00 5 00	1,000 \$90 00 125 00
O to 42 in	10 25 \$1 75 1 50 2 50 2 50 2 50 1 25 1 75 1 25 25 25 25 25 25 25 25 25 25	0 00 5 00 2 50 2 50 0 00 5 00 5 00 0 00 0	1,000 \$90 00 125 00
O to 42 in.   Standard   Per	$\begin{array}{c} 100 \\ 25 \\ 51 \\ 75 \\ 00 \\ 25 \\ 00 \\ 00 \\ 00 \\ 00 \\ 00 \\ 0$	0 00 5 00 2 50 2 50 0 00 5 00 5 00 0 00 0	1,000 \$90 00 125 00 200 00 100 00 150 00
O to 42 in.   Per	- 10 25 \$1 75 1 50 2 50 1 25 1 75 1 00 2 00 2 00 4 00 4 00 7 00 1 00 1 00 1	0 00 5 00 2 50 2 50 0 00 5 00 5 00 0 00 0	1,000 \$90 00 125 00 200 00
O to 42 in.   Per	10 25 \$1 50 25 50 25 50 12 50 25 10 20 20 20 20 20 20 20 20 20 2	0 00 5 00 2 50 2 50 0 00 5 00 5 00 0 00 0	1,000 \$90 00 125 00 200 00 100 00 150 00
O to 42 in.   Standard   Per	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0 00 5 00 2 50 2 50 0 00 5 00 5 00 0 00 0	1,000 \$90 00 125 00 200 00 100 00 150 00
O to 42 in.   Per	100 25 \$1 50 25 50 25 50 25 50 25 11 50 25 11 75 12 50 25 12 5	0 00 5 00 2 50 2 50 0 00 5 00 5 00 0 00 0	1,000 \$90 00 125 00 200 00 100 00 150 00
O to 42 in.   Per	100 25 \$1 50 25 50 25 50 25 50 25 11 50 25 11 75 12 50 25 12 5	0 00 5 00 2 50 0 00 5 00 5 00 0 00 0 00	1,000 \$90 00 125 00 200 00 100 00 150 00
O to 42 in.   Per	10 25 \$1 75 10 50 20 50 10 20 50 10 20 10 20 20 20 20 20 20 20 20 20 2	0 00 5 00 2 50 0 00 5 00 5 00 0 00 0 00	1,000 \$90 00 125 00 200 00 100 00 150 00
O to 42 in.	10   25   \$1   2	0 00 5 00 2 50 2 50 0 5 00 5 00 5 00 0 00 0	1,000 \$90 00 125 00 200 00 100 00 150 00
O to 42 in.	- 10 - 25 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 60 - 60	0 00 5 00 2 50 2 50 0 00 5 00 0 00 0 00	1,000 \$90 00 125 00 200 00 100 00 150 00
O to 42 in.	- 10 - 25 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 60 - 60	0 00 5 00 2 50 2 50 0 00 5 00 0 00 0 00	1,000 \$90 00 125 00 200 00 100 00 150 00

#### Hardy American Plants Rhododendrons and Azaleas KELSEY'S

#### HIGHLANDS NURSERY

TREES, SHRUBS AND VINES continu	red	
Per 10	100	1,000
*Pinus rigida. 1 to 2 ft	\$12 50	_,
2 to 3 ft		\$150 00
3 to 4 ft	27 50	225 00
4 to 6 ft	50 00	00
*strobus. 6 to 12 in	5 00	40 00
	15 00	¥0 00
= =	175 00	
	175 00	
	10 50	
Prunus maritima. 1 to 2 ft 1 50	12 50	
2 to 3 ft 2 00	-0 -0	
pumila. 1 to 2 ft	12 50	
2 to 3 ft 2 00		
*Pseudotsuga taxifolia. Douglas Spruce.		
6 to 12 in 1 00	S 50	<b>75 00</b>
1 to 2 ft 2 00	17 50	
Quercus alba. 1 to 2 ft	S 50	
2 to 3 ft 1 50	12 50	
coccinea. 2 to 3 ft		
macrocarpa. 3 to 4 ft 4 00		
palustris. 4 to 6 ft	25 00	
6 to 8 ft 4 00	37 50	
8 to 10 ft 8 00	70 00	
prinus. 3 to 4 ft		
4 to 6 ft 7 00		
rubra. 3 to 4 ft		
4 to 6 ft		
Rhodora canadensis. 6 to 12 in 2 50	22 50	
Athousia canadensis. U W 12 III 2 00	22 00	

#### RHODODENDRONS

#### \*Rhododendron catawbiense, of the Carolina Mountains

It is this magnificent Rhododendron that over a hundred years ago was introduced into Europe, supplying, together with Rhododendron maximum and R. punctatum, color and hardy blood to the cultivated "hybrids," but with a consequent loss of hardiness; and so today, for American gardeus where ironelad hardiness is essential, we must turn to the true original species, found on the loftiest, coldest peaks of the Southern Alleghanies, where it attains a height of 20 to 30 feet.

Considering the extreme hardiness, color of flower, compact growth and remarkable texture of foliage, which is a deep, shining green, and far superior to the better-known Rhododendron maximum, we can recommend the true native entawbiense as the finest for general use, withstanding exposure and extremes of temperature where other Rhododendrons fail.



Rhododendron catawbiense EVERGREENS ARE MARKED WITH A STAR (\*)

#### RHODODENDRON CATAWBIENSE, continued

Do not confuse this true species, which is absolutely hardy, with the common so-called catawbiense hybrid seedling so freely imported from Europe, which is at best half-hardy, and even when hranched above is a single stem, showing bareness underneath for years.

Unlike Rhododendron maximum, it is a very free hloomer, with foliage of a dark, rich, lasting green, which never rusts. The trusses are a bright red-purple (in marked contrast to the muddy purple of the semi-hardy half-breed imported variety noted above), and, as sent out hy Highlands Nursery are always on their own roots.

For massing to produce a broad-leaved evergreen landscape effect, there is no plant equal to it in the latitude of the Northern United States and Canada, where strictly hardy plants must be employed. As a rich, finished border to plantations of the commoner Rhododendron maximum and Kalmia latifolia, the value of Rhododendron catawbiense cannot be overestimated.

Do not compare our many-stemmed clumps with the single stemmed, "bushy" half-hardy Rhododendrons offered by importers. There is no comparison.

Per 10 100 1,000

	Per 10	100	1,000 -
3 to 6 in., heavy, nursery-grown	\$1 00	\$8 50	\$75 00
6 to 0 in., heavy, nursery-grown	1 50	12 50	100 00
9 to 12 in., heavy, nursery-grown	2 00	18 00	160 00
1 to 1½ ft., heavy, nursery-growa	3 50	32 50	
11 to 2 ft., heavy, nursery-grown	5 00	40 00	
9 to 18 in., elumps, nursery-grown.	10 00	90 00	750 00
11 to 2 ft., elumps, nursery-growa.	16 00	135 00	1300 00
2 to 3 ft., elumps, nursery-growa	25 00	200 00	1750 00
3 to 4 ft., elumps, nursery-grown	40 00	375 00	
4 to 5 ft., elumps, nursery-grown	60 00		
1 to 2 ft., "eollected" elumps	10 00	80 00	700 00
2 to 3 ft., "eollected" elumps		130 00	1000 00
3 to 4 ft., "collected" clumps	25 00	220 00	
4 to 5 ft., "eolleeted" elumps	40 00	350 00	

#### \*Rhododendron maximum THE GREAT AMERICAN ROSEBAY

#### Perfectly Hardy in the Latitude of Quebec

Rhododendron maximum is, without doubt, the noblest of American hroad-leaved shrubs. It is found growing sparingly in New England and New York, more abundantly in the Pennsylvania mountains, but reaching perfection only in the Southern Alleghany mountains where it grows in such luxuriance as to form a striking feature in the mountain landscape. Its large, waxy white or deheately pink flowers appear in large trusses in July, the latest of all the Rhododeadrons, greatly enhancing its oranmental value as a broad-leaved evergreen for finished landscape effect.

Not even in Asia do Rhododendrons grow more luxuriantly than in our Southern Alleghany Mountains, where they attain a height of 30 feet or more. They must be seen in their native lavishness of growth and bloom, on the mountain-sides or hanging over the dashing ice-cold streams and water-falls, to be properly appreciated, and a trip to the high Carolina mountains in spring and early summer is a never-to-be-forgotten series of joys to the lover of nature.

nature.

nature.

In our northern gardens Rhododendron maximum (and other species to a small extent) is subject to damaging attacks from the lace-wing fly, particularly ia sunny locations. We recommend an emulsion of five to ten pounds of whale-oil soap and one to two quarts of kerosene to 100 gallons of water, used with a spray pump location of float pages 10, 100.

		ALL 00 0111	~, pu	
g a fiae nozzle.	Per 10	100	1,00	)Ó
3 to 0 in., nursery-grown	.\$0 75	\$0 00	\$50	00
0 to 0 in., nursery-grown	. 1 00	8 00	60	ŌŌ
0 to 12 in., nursery-grown	. 1 25	10 00	00	ÕÕ
1 to 11 ft., nursery-grown	. 2 00	18 00	100	00
1 to 2 ft., nursery-grown	4 00	35 00		
1 to 11 ft., clumps, nursery-grown	7 00	00 00	500	00
11 to 2 ft., elumps, nursery-grown	.12 00	100 00		-
2 to 3 ft., elumps, nursery-grown	.17 50	150 00		
3 to 4 ft., elumps, nursery-grown	.35 00	-00 00		
1 to 2 ft., "eolleeted" elumps	. 8 00	70 00	650	იი
2 to 3 ft., "eolleeted" elumps	12 50	100 00	850	
3 to 4 ft., "eolleeted" elumps	20 00	160 00	1400	
4 to 5 ft., "eolleeted" elumps	30 00	275 00		
5 to 0 ft., "eolleeted" elumps	50 00	400 00	2000	oo
6 to 7 ft., "eolleeted" elumps	65 00	540 00		
o to 1 m, concetta ciamps	.00 00	0.10 00		

### \*Rhododendron carolinianum (punctatum)

The smallest Alleghanian species, though it often attains a height of 15 feet aud is wide-spreading. A very graceful shruh, with totally different aspect from the two species precediag. Leaves dark green, usually blunt and narrow, covered with rusty dots below, much smaller than either maximum or catawhiense. Flower-clusters appear in greatest profusion in June, coveriag the plant with a rose-colored mantle. Fine for rocky slopes or hillsides, standiag exposure unusually well, and invaluable as a single specimen or for massing with the other species.

Until this year we have heea sending this beautiful and rare species out under the name of punctatum. Prof. Sargent has recently called attention to the fact that it is a distinct species from the punctatum, differing in time of bloom, with more showy and profuse flowers, and making a much larger and finer plant than the punctatum.



Rhododendron carolinlanum (punetatum)

#### RHODODENDRON CAROLINIANUM (punctatum), continued

It is now known as Rhododendron carolinianum, being described and named by Alfred Rehder, Araold Arboreum, Jamaica Plain, Mass.

	Per 10	100	1,000
6 to 9 in., nursery-grown	\$2 50	\$22 50	
9 to 12 in., nursery-grown	4 00	35 50	
1 to 1 ft., nursery-grown	6 00	50 00	
11 to 2 ft., nursery-grown		75 00	
9 to 12 in., clumps, nursery-grow	n10 00	90 00	
1 to 11 ft., elumps, nursery-grown		110 00	
11 to 2 ft., clumps, nursery-grown		200 00	
2 to 3 ft., clumps, nursery-growa.			
3 to 4 ft., clumps, nursery-grown.			
- to the time, comments of the time.			

#### Rhododendrons and Kalmias Delivered at Your Station by the Carload

"Collected" and Nursery-grown

For the area covered and effect produced, a "carload" of Rhododendrons, or Kalmias are the cheapest landscape propositions offered. I am offering an unusual grade of splendid clumps, each plant a speciman and burlaped separately. Don't accept "cheap" stock, thrown into cars without burlaping and with tha fine, hair-lika rootlets inevitably exposed. You will be disappointed and find it expensive in the cad.

#### Rhododendron maximum and R. catawbiense

In mixed ear, delivered free at any station east of Mississippi River.
Car containing 150 maximum and 150 catawbiense, "collected" as abova.
1½- to 4-ft. clumps—a total of 300—for \$400.
Car containing 250 maximum and 250 catawbiense, 1½- to 4-ft. clumps—a total of 500—for \$600.
Twenty-five years' experience growing "American Plants" is at the ser-

vice of our eustomers.

#### Rhododendron catawbiense, "collected"

Each plant from the open and burlaped. Prices f. o. b. your station, if
east of the Mississippi River.
Car coataining 200 clumps, 1½ to 3½ ft., for\$280
Car containing 300 clumps, 1½ to 3½ ft., for
Car containing 400 clumps, 11 to 31 ft., for
Car containing 600 clumps, 11 to 31 ft., for
Other combinations and sizes gladly quoted.

It is the dream of every plant-lover to bave, some day, a "Rhododendron Bed" and all that this implies. By following instructions given in our Descriptive Catalogs, you are assured success.

#### KELSEY'S Hardy American Plants Rhododendrons and Azaleas

#### CATALOG OF HIGHLANDS NURSERY

#### Rhododendron maximum

Prices in carload lots, delivered f. o. b. your station, if east of the Mississippi River, "collected" from open ground, and each specimen burlaped separately.

#### Rhododendron maximum, Extra Specimens

For those wishing perfect specimens I can supply a few ears of "collected," extremely heavy plants. Price on request.

Highlands Nursery grows and ships hundreds of thousands and is American headquarters for native plants.

#### Kalmia latifolia by carload

Each specimen burlaped, and highest-class clumps "collected" from open, delivered free at your station, if east of Mississippi River. Car, containing 400 clumps, 1 to 3\frac{3}{2} ft., for \$375. Kalmia may be added to help fill any Rhododendron ear at \$1 per clump. 25,000 nursery-grown plants in all sizes. See free catalog. At the same cost, nothing approaches our magnificent hardy American Rhododendrons and other native broad-leaved evergreens for splendid foliage and flower effects. foliage and flower effects.

#### Best Plants for the Rhododendron Beds and for Ground-Cover

Some of the most successful are Andromeda polifolia, Chamædaphne calyculata, Dendrium buxifolium, D. prostratum, Hex glabra, Leucothoe catesbæi, Pieris floribunda, Taxus minor, Galax aphylla, Gaultheria procumbens, Houstonia serpyllifolia, Mitehelia repens, Shortia galacifolia, Vinca minor, V. minor alba, Kanthorrhiza apiifolia, Lilies, Trilliums, Erythroniums, Ferns, Dicentra eximia, Tris ato Iris, etc.

Per 10	100	1,000
Rhus aromatica. 0 to 12 in\$1 25	\$10 00	\$90 00
1 to 2 ft 2 00	17 50	
copallina. 1 to 2 ft	10 00	
2 to 3 ft 1 75	15 00	
3 to 4 ft 2 50	22 50	
cotinoides. Southern Smoke Tree. 15 to 30 ft. An	invalual	ole intro-
duction to our list of lawn trees. Very raro, and	found o	nlv in a
few localities in the Alabama and Missouri moun	tains. W	Thile the
"smoke" as the fruit is known, is not so conspic	10115 85	the ordi-
nary "Sinoko Tree," it is a far finer shrub or sma	ill tree.	porfectly
hardy, with very beautiful, large, glossy leaves.	<b></b> , ,	porrectry
Specimens from 2 to 10 ft., at \$1.50 to \$5 each.		
Per 10	100	1,000
glabra. 0 to 12 in\$1 00	\$8 50	1,000
1 to 2 ft	12 50	
hirta (typhina). 1 to 2 ft	10 00	
2 to 4 ft	12 50	
4 to 6 ft	20 00	
4 to 6 ft	8 50	
	0 00	
4 to 0 ft		
	10 50	
blanda. 0 to 12 in 1 50	12 50	
1 to 2 ft	17 50	
carolina. 0 to 12 in	4 00	***
1 to 2 ft	7 00	<b>\$</b> 60 00
2 to 3 ft	10 00	90 00
humilis. 0 to 12 in 1 00	8 50	
1 to 2 ft	0.50	
lucida. 6 to 12 in 1 00	8 50	
1 to 2 ft 1 50	12 50	
2 to 3 ft 2 00	17 50	
nitida. 6 to 12 in	10 00	90 00
1 to 2 ft 1 75	15 00	
woodsii. 0 to 12 in 2 50		
Rubus canadensis. 1 to 3 ft	6 00	
deliciosus. 0 to 12 in	20 00	
1 to 2 ft	32 50	
*hispidus, strong, "eolleeted"	5 00	40 00
laciniatus. 1 to 3 ft		
odoratus. 6 to 12 in	6 00	
1 to 2 ft 1 00	8 00	
spectabilis. 6 to 12 in 3 00		
Salix humilis. 1 to 2 ft 1 00		
Sambucus canadensis. 6 to 12 in	5 00	
1 to 2 ft 1 00	S 50	
pubens. 6 to 12 in 1 00	8 50	
1 to 2 ft 1 50	12 50	

#### KELSEY'S Hardy American Plants Rhododendrons and Azaleas

#### CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS AND VINES, continued	
Sorbus (Pyrus) americana, Mountain Ash. Per 10 100 1,000 3 to 4 ft	
Spartium seopulorum. 1-yr. seedlings	
Stuartia pentagyna. Southern Stuartia. 6 to 15 ft. This, the so-called "Americao Camellia," is ooc of the most rare and beautiful of all North American shrubs. Erect, well-foliaged and with large, axillary flowers, 3 to 4 inches across, with white, creamy petals, deeply crenulated in the margins.       Per 10 100 1,000         1 to 2 ft.       \$2 50 \$22 50         2 to 3 ft.       4 00 37 50         3 to 4 ft.       6 50 62 50         4 to 6 ft.       15 00 100 00         Styrax japonica. 4 to 6 ft.       7 00         Symphoricarpos occidentalis. 1 to 2 ft.       2 00	•
paucifiora. 1 to 1½ ft	
Teeoms grandifiors.       Strong	
*Tsuga eanadensis. Caoadian Hemloek. 6 to 12 io	
1 to 2 ft	
6 to 7 ft40 00	
*earoHniana. Carolioa Hemloek. 40 to 80 ft. This graod new Hemloek introduced by us, possesses a distinct pyramidal growth and attains	
a height of 40 to 80 feet. Its dense, dark foliage and graceful habit are approached only by the finer Japacese Hemlocks. Some fice	
specimens are to be seen in the Aroold Arboretum, and are the first plants of this Hemlock ever sent out, being supplied by us to Prof. C. S. Sargent, in 1884.  Per 10 100 1,000	
2 to 3 ft	
4 to 5 ft	
6 to 7 ft	
2 to 3 ft., elumps	
hirsutum. 6 to 12 io	
border plaot, along edges of streams or poods, or as a bog feature, it is unequaled. Thrives in ordinary gardeo soil, forming a carpet	,
a fow tophog high - Kollago filtog tiell gligges Of Drobze 2001 feb 10	•
autumn, and, with the scarlet fruit, presents a churming effect the year round. Over 20,000 plants supplied by us to a single estate at our suggestion, with beautiful results. Per 10 100 1,000	;
Clumps\$0.75 \$6.00 \$50.00	į
oxycoccus. Small Craoberry. 1 to 1\frac{1}{2} ft	
2 to 3 ft clumps 4 00 37 50	
pennsylvanioum. 3 to 6 in	
6 to 12 io	
6 to 12 io	
6 to 12 io	•
6 to 12 io	)
6 to 12 io	
6 to 12 io	)
6 to 12 io	)
6 to 12 io. 2 50 22 50  stamineum. 6 to 12 io. 1 25 10 00  1 to 1 ft. 200 17 50  1 to 1 ft. 200 17 50  1 to 1 ft., elumps 3 50 32 50  1 to 2 ft., elumps. 4 50  Viburnum acerifolium. 6 to 12 io. 75 6 00 \$50 00  1 to 2 ft. 1 25 10 00  alnifolium (lantanoides). 1 to 2 ft. 1 75 15 00  2 to 3 ft. 2 50 22 50  3 to 4 ft. 4 00 35 00  4 to 5 ft. 6 00  cassanoides. 6 to 12 in. 1 00 8 50 75 00  1 to 2 ft. 1 50 12 50 100 00  2 to 3 ft. 1 75 15 00  3 to 4 ft. 4 00 37 50  4 to 5 ft. 5 10 00  2 to 3 ft. 1 75 15 00  3 to 4 ft. 4 00 37 50  dentatum. 1 to 2 ft. 1 25 10 00  2 to 3 ft. 1 75 15 00	)
6 to 12 io	)
6 to 12 io	)
6 to 12 io	)
6 to 12 io. 250 22 50  stamineum. 6 to 12 io. 1 25 10 00  1 to 1 ft. 200 17 50  1 to 1 ft., elumps 3 50 32 50  1 to 2 ft., elumps 4 50  Viburnum acerifolium. 6 to 12 io. 75 6 00  1 to 2 ft. 1 25 10 00  alnifolium (lantanoides). 1 to 2 ft. 1 75 15 00  2 to 3 ft. 2 50 22 50  3 to 4 ft. 4 00 35 00  4 to 5 ft. 6 00  cassanoides. 6 to 12 in. 1 00 8 50 75 00  1 to 2 ft. 1 50 12 50 100 00  2 to 3 ft. 1 75 15 00  2 to 3 ft. 1 75 15 00  2 to 3 ft. 1 75 15 00  3 to 4 ft. 4 00 37 50  dentatum. 1 to 2 ft. 1 75 15 00  2 to 3 ft. 1 75 15 00  3 to 4 ft. 2 50 22 50  molie. 1 to 2 ft. 1 50 12 50 100 00  2 to 3 ft. 1 75 15 00  3 to 4 ft. 2 50 22 50  molie. 1 to 2 ft. 1 50 12 50 100 00  2 to 3 ft. 1 75 15 00  3 to 4 ft. 2 50 22 50  molie. 1 to 2 ft. 1 50 12 50  lantans. 1 to 2 ft. 1 50  2 to 3 ft. 2 50  lantans. 1 to 2 ft. 1 50  3 to 4 ft. 2 50  prunifolium. 2 to 3 ft. 3 50	)

#### TREES, SHRUBS AND VINES, continued

The virial viria
Kanthorrhiza apiifolia. Yellow-root. 1 to 4 ft. Undoubtedly the finest American undershrub for planting under trees, along roadways, walks and horders, or where cooditions of extreme moisture prevail. Ficely cut foliage remains a good green till autumn; when it turns shades of orange and yellow. Now used by thousaods in parks and private grounds. Peculiar hrown-purple flowers in pen-
dulous racemes, appear early. Per 10 100 1,000
3 to 6 in\$0 50 \$4 00 \$30 00
6 to 12 in 75 5 00 40 00
3 to 6 in., clumps 1 00 7 00 60 00
6 to 12 in., clumps 1 25 10 00 90 00
1 to 1½ io., clumps
Xolisma ligustrina. 6 to 12 in 1 00 8 50
1 to 2 ft 1 50 12 50

# Hardy Herbaceous Perennials, Vines, Aquatics, Ferns, Orchids, Lilies and Bulbous Plants. Per 10 100 .....\$1 00 \$8 00

Acorus calamus.....

1,000

Actæa alba	16 00	
rubra	20 00 10 00	
Amsonia amsonia. Clumps	8 00	
Apocynum androsæmifolium 1 00 Aquilegia canadensis	8 00	
chrysantha	10 00 6 00	
racemosa. Clumps 1 00	8 00	
Arisema triphylium 1 00	6 00 8 00	
Artemisia frigida		
Aruncus (Spiræa) aruncus 1 00 Asarum macranthum 1 00	8 00	
Asarum macranthum	6 00	
Astilbe decandra 1 00		
Bicuculia (Dicentra) canadensis 1 00	8 00 7 00	
eucullaria	7 00 10 00	
Cacti, Hardy Species. Echinocactus missouriensis, Echinocereus viridifiorus,		
Opuntia arenaria, Opuntia camanchica, Opuntia major, Opuntia mesacantha		
cymochila. Opuntia mesacantha	25.00	
greenil, Opuntia polyantha	35 00	
Calopogon. See Limodorum. Caltha leptosepala. Marsh Marigold 1 50		
*Carex fraseri	8 00 10 00	
Cassia marylandica. 75 Caniophylium thalictroides. "Collected". 1 00 Champilatum interest of the collected o	6 00	
Chamberling intention in the community of the community o	8 00 8 00	
Chelone glabra         1 00           iyoni         1 00	8 00 8 00	
Chrosperma muscætexicum 75 Cleuta maculata 1 00	6 00	
Cimicifuga americana	8 00 6 00	
Clematis coccinea 3 00	25 00	
orispa	, 20 00	
fremontii		
virginiana 1 00 vitalba 1 75	6 00	
Convallaria majalis	6 00 5 00	
Coreopsis innecedata. Clumps	6 00	
rosea. Clumps 1 00	8 00 8 00	
Verticiliata	8 00 5 00	\$40 00
californicum	10 00 20 00	70 00
hirsutum. Streeg	5 00	40 00
parviflorum	10 00	80 00
POMICOU GILL OUT UI LINE ENTRYE OF NATION APABIAGO TIL	الممسط مد	
is a heautiful soft red-rose. A strong grower and	, ioflated	peuch
carly July.	bog. Ju 100	ne aod 1,000
1 to 2 crowns\$2 50 3 to 4 crowss	\$20 00 50 00	1,000
5 to 6 crowns	80 00	
EVERGREENS ARE MARKED WITH A ST	'AR (*)	

# KELSEY'S - Hardy American Plants - Rhododendrons and Azaleas CATALOG OF HIGHLANDS NURSERY

HARDY HERBACEOUS PERENNIALS			
Dionæa muscipula. Venus' Fly-trap	r 10	100 \$8 00	1,000
Disporum lannginosum	. 00	7 00	•
*Epigæa repens. Trailing Arbutus. "Collected"	. 25	10 00	
Erythronium albidum 1	50 50	12 00	\$100 00
americanum Eupatorium ageratoides, perfoliatum and	50	2 00	16 00
purpureum. 1 Euphorbia corollata. 1	25	10 00 8 00	
Ferns, Hardy Native Species			
Adiantum pedatum	r 10 25	100 \$10 00	1,000
Asplenium filix-formina 1 thelypteroides 1	00	8 00 8 00	
*Botrychium virginicum 1 *Camptosorus rhizophylius. Walking Fern. 1	25	7 00 10 00	
Cheilanthes fendieri 4 Dicksonia punctilobula. Clumps. 1	00	8 00	\$50 00
angustifolia 1		8 00	60 00
*marginalis	00	10 00 8 00 25 00	60 00
*novaboracensis	00	8 00 8 00	60 00
thelypteris	00	8 00 8 00	50 00
Osmunda cinnamomea, claytoniana and regalis	50	12 00	100 00
Phegopteris hexagonoptera 1 *Polypodium vulgare	75	8 00 6 00	35 00
Pteris aqullina.  'Galax aphylia. Established elumps	75 50	5 00 12 00	30 00 30 00
"Collected" elumps	00	8 00 8 00	50 00 50 00
Giechoma (Nepeta) hederacea. "Collected." Gentiana andrewsii. Light	75 75	5 00 5 00	40 00 35 00
Strong 1 Geranium maculatum 1		0 00	50 00
Goodyera. See Peramium. Habenaria ciliaris 1	00	8 00	
hookeriana 1 peramœna 1 Helenium autumnale 1	75	8 00 15 00	
Helianthus strumosus 1	00 00	8 00 8 00 8 00	
Heuchera americana and villosa 1	00	8 00	
Hibiscus, "Crimson-eye" and rose-pink 1 Houstonia purpures and serpyllifolis	00 75	8 00	40 00
Humulus Inpulus	00	8 00	
*Iris cristata. Clumps. 1 missouriensis. 1	50	10 00 12 00	80 00
pseudacorus	50	8 00 10 00 8 00	
Lacinaria (Liatris) pycnostachya 1	00	8 00 8 00	
spicata pumila		0.00	
Lilies			
Should always be ordered in spring or summer where possible. Many species are exhausted exhip or transplant well in the spring. L. superb	ner	and some	do not
L. carolinianum thrive planted in March, Ar September and October planting is preferable.	oril	or May,	though
Lillium canadense. 2nd size		100 \$5 00	1,000 \$30 00
canadense rubrum. 1st size 1	50	8 00 12 50	60 00
	60 00 50	5 00 8 00 12 00	
grayi. 2nd size 1	00 50	8 00 12 50	100 00
superbum. 3rd size2nd size	40 75	2 00 5 00	18 00 35 00
lst size	00 50	8 00 12 00	00 00
Light	00	8 00 8 00	
	00 00	8 00 8 00	
Mertensia virginica 1	75 50 00	6 00 12 00 8 00	
*Mitchells repens. "Collected" elumps 1	00	8 00	60 00
EVERGREENS ARE MARKED WITH	A S	TAR (*)	

### KELSEY'S Hardy American Plants Rhododendrons and Azaleas

#### CATALOG OF HIGHLANDS NURSERY

HARDY HERBACEOUS PERENNIALS, conti	nued 100	1,000
Monarda didyma	0 00 5 00	1,000
Orchis spectabilis 2 00 1 Orontium aquaticum 1 50	6 00	
Panax (Aralia) quinquefolium. 3rd size 75	6 00 0 00	\$50\\00 90\\00
1st size 1 75	5 00 22 00	125 00
XX size	35 00	
Phiox pilosa	8 00	
Physostegia virginiana	6 00 6 00 6 00	
commutatum	8 00 5 00	
Porteranthus (Gillenia) stipulatus 1 00 *Potentilla tridentata	8 00 8	
Rhexia virginica	8 00 6 00	36 00
*Sarracenia catesbæi, drummondii, flava,	= 00	
*purpurea 1 50 1	5 00 2 00 2 00	
michauxii	8 00	
*Shortia galacifolia. 2nd size 2 00	8 00	
Silene stellata 1 00	8 00 00	
Solidago canadensis, boottii, ereeta, glom- erata. nemoralis. odora. pallida.		
rugosa and rupestris	8 00 20 00 6 00	\$05 00
tris	0 00 to 5	ft. Tall.
with extremely showy panieles. This is one of our ductions, and is, without doubt, a plant that will be	recei	nt intro-
sands when known. The pure white flowers are borneound panieles, often 2 to 3 feet long, and a e plants makes a show equaled by few herbaceous	ne on	graceful
description. Per 10	100	1,000
2nd size 1 50 1	8 00 2 50 6 00	\$60 00 100 00
Stokesia cyanea	0 00	
Thermopsis earoliniana. Strong	8 00 5 00	
Therofon aconitifolia	0 00 8 00	
Trautvetteria oarolinensis	3 00	18 00
	5 00	30 00
grandiflorum.       2nd size	1 50 3 50	12 00 20 00
recurvatum	0 00 4 00	
1st size 1 00	8 00 4 00	60 00 30 00
1st sizo	0 00	40 00
Uvularia grandifiora, perfoliata and sessili- folia	8 00	
Veratrum viride 1 00	8 00 8	
Vinea minor.       Strong	8 00	
pedata 1 00	8 00 4 00	
rotundifolia	_ 00	
"Xerophylium asphodeloides. "Collected" elumps	5 00	
*Yueca fliamentosa	8 00	60 00
*glauca		
*whippieyi	2 50 2 50	

HARLAN P. KELSEY, Owner

Cable Address KELMONT - SALEM

SALEM, MASS., U. S. A.

Fall, 1912: CATALOG: Spring, 1913

## Salem and Boxford Nurseries

## Kelsey's Hardy American Plants



Successful Rhododendron oval at State Normal School, Salem.
"Fillers" used are Lilies, Azaleas, Xanthorrhiza,
Ferns, Violets, etc.

Salem Nurseries Shipments are made from Salem, Mass.

Boxford Nurseries Shipments are made from East Boxford, Mass., freight station.

From both Nurseries deliveries may be arranged for by truck to points along the North Shore and the vicinity of Boston.

Prices at our Salem and Boxford Nurseries are about 25 per cent higher than at our Highlands Nursery, the difference representing freight and other costs.

Specimen Stock. There is a demand for fine specimen

Specimen Stock. There is a demand for fine specimen stock in Conifers, Rhododendrous, Kalmias, Andromedas and other evergreens, and our local Nurseries are established to supply just this need which has been so long felt.

Prices are made to fit the quality of stock sent out. Few realize that the real value of nursery stock is largely underground Frequent transplanting and handling specimens, with adequate burlaped balls, means success and quick results. It costs more, but it is the fixed policy of our Salem and Boxford Nurseries; and "cheap" stock will not be handled or sent out. The best is always the eheapest.

Visitors are always welcome, and arrangements may be made by telephone (Salem 820) to meet Mr. Kelsey personally at either Nursery.

Always address:

#### HARLAN P. KELSEY

287 Essex Street, Salem, Mass., U. S. A.

#### OWNER

Salem Nurseries, Salem, Mass. Boxford Nurseries, East Boxford, Mass. Highlands Nursery, Saginaw, N. C.



Andromeda (Pieris) florihunda

A specialty at our Nurseries—native stock is vastly superior to the soft-wooded imported stuff.

### Evergreen and Deciduous Trees and

Shurbs _			
h'n a	h 1	0	100
*Ables concolor. White Fir. 1 to 11 ft	50 \$4	00	\$30 00
11 to 2 ft 1 5		50	
2 to 3 ft 2 5		00	
4 to 5 ft 6 ( *douglasii. See Pseudotsuga.	JO		
	20 1	0.5	10.00
	$\begin{array}{ccc} 20 & 1 \\ 30 & 2 \end{array}$	25	10 00
11 to 2 ft	30 2 30 4	00	12 50
	50 10	00	37 50 90 00
3 to 4 ft 2 5		00	<i>5</i> 0 00
	$\tilde{00}$ $\tilde{25}$	00	
3 10 4 11	00 35	00	
Meer polymorphum. Japanese Maple, assorted.	-		
1 to 14 ft 1 5	25 10	00	
encountum. Sugar Maple, 2 to 3 ft	1	00	8 50
12 to 14 ft 2 5	50 - 20	00	
Actinidia arguta. 2 to 3 ft	50 4	00	
Amolanchior botryapium. Shad Bush.			•
	10 3	50	
5 to 7 ft		50	80.00
	10 3	50	30 00
	$\frac{50}{50} - \frac{4}{4}$	00	25 00
	$\begin{array}{ccc} 50 & 4 \\ 50 & 4 \end{array}$	00 00	35 00
Andromeda (Pieris) floribunda. 6 to 12 ia 1	50 12	30	35 00 100 00 ·
I to 11 ft 2 (	00 17	50	150 00
Aralia pontaphylia. 2 to 3 ft	50 4	00	30 00
3 to 1 ft	$75$ $\hat{6}$	00	50 00
Aristolochia sipho. 4 to 6 ft	50 12	50	00 00
Aronia arbutilolia. 1 to 11 ft	50 4	00	30 00
3 to 4 lt 1 (	00 8	50	75 00
nigra. I to 2 it	10 3	75	35 00
Azaica arborescens. I to 13 ft	50 5	00	45 00
11 to 2 ft 1 (	00 8	50	75 00
1 to 1 ft., elumps 1	50 12	50	100 00
11 to 2 ft. clumps	50 - 22	50	200 00
	$egin{matrix} 25 & 10 \ 5 & 2 \end{bmatrix}$	00	17 50
		00	17 50
	$50  4 \\ 50  12$	00 50	35 00 100 00
	00 35	00	100 00
1 to 2 it., clumps	80 7	50	
mollis, 1 to 1 ft	00 8	50	
nualitora. 6 to 12 ig	$\ddot{\tilde{30}}$ $\ddot{2}$	50	20 00
I to 1 it	30 <b>5</b>	00	40 00
vascyl. 0 to 12 in	50 4	00	35 00
11 10 2 11	75 15	00	
VISCOSR. 1 to 14 it	50 4	00	30 00
Dervier, 1 to 14 H	5 6	00	
Berberis thunbergil. 6 to 12 in	20 1	75	15 00
1 to 11 ft	35 3	00	27 50
	50 4	50	40 00
vulgaris purpurea. 2 to 3 ft	$\frac{30}{50}$ $\frac{2}{4}$	50	22 50 35 00
		00	35 00
A HIIM GRANAM TAN CHEARACHT	STAR	(*)	

### KELSEY'S Hardy American Plants Rhododendrons and Azaleas

#### CATALOG OF SALEM AND BOXFORD NURSERIES

EVERGREEN AND DECIDUOUS TREES AND S	HRURS	COB
Each	10	100
Betula lutea. Yellow Birch. 6 to 8 ft	\$\$ 50 3 00	
*Buxus sempervirens. Box, Bush Form.  1 to 1½ ft	12 50 \$	\$100 00
1½ to 2 ft	17 50 17 50	
3 to 4 ft	37 50	
1½ to 4 ft		
Caragana arborescens. 4 to 6 ft	10 00 S 50	75 00
*Chamæcyperis sphæroidea. 2 to 4 ft	\$ 50 1 50	12 50
Chionanthus virginica. 1 to 2 it	2 50	22 - 50
4 to 6 ft	$\frac{1}{22} \frac{50}{50}$	12 50
6 to 7 ft	8 50	
3 to 4 ft	12 50 8 50	
3 to 4 ft	12 50 5 00	40 00
4 to 5 ft 1 00	8 50	40 00
Deutzia erenata. 2 to 3 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Euonymus alatus. 1 to 2 ft	$\begin{array}{ccc} 6 & 00 \\ 3 & 50 \end{array}$	30 00
*Broad-leaved	$\frac{4}{3} \frac{00}{50}$	$\frac{35}{25} \frac{00}{00}$
3 to 4 ft	5 00 3 50	40 00
3 to 4 ft	5 00	25 00 40 00
suspensa. 2 to 3 ft	$\begin{array}{cc} 3 & 50 \\ 3 & 50 \end{array}$	$\frac{25}{25} \frac{00}{00}$
3 to 4 ft	$\begin{array}{ccc} 5 & 00 \\ 8 & 50 \end{array}$	40 00
Gaylussacia resinosa. "Collected" clumps Gieditschia triacanthos. 5 to 7 ft	$\frac{1}{17} \frac{25}{50}$	10 00
Hamamelis virginica. 4 to 5 ft	6 00	
Halesia tetraptera.       Silver Bell.       3 to 4 ft	6 00 10 00	
3 to 4 ft	5 00 8 50	40 00
Ilex verticillata. 2 to 3 ft	5 00 4 00	30 00
1 to 1½ ft	10 00 15 00	90 00
Specimens\$2.50 to 10 00		50.00
*virginiana. 1 to 2 ft	$\frac{6}{12} \frac{00}{50}$	50 00
2 to 3 ft	6 00	
"Collected" clumps	$\begin{array}{ccc} 1 & 50 \\ 3 & 50 \end{array}$	$\frac{12}{30} \frac{50}{00}$
1 to 1½ ft	5 00 7 00	40 00 60 00
1 to $1\frac{1}{2}$ ft., clumps 1 25	10 00	90 00
1½ to 2 ft., clumps	$\frac{17}{27} \frac{50}{50}$	150 00
Larix americana. 1 to 1½ ft	$\begin{array}{ccc} 3 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 12 & 50 \end{array}$
*Leucothoe catesbæl. 6 to 12 in., clumps 65 1 to 1½ ft., clumps 1 00	4 00 8 50	75 00
14 to 2 ft., clumps	15 00 3 00	$\begin{array}{ccc} 125 & 00 \\ 25 & 00 \end{array}$
regelianum. 1 to 2 ft	3 00 15 00	25 00
Lonicera belgica. 1 to 2 it	3 50	05.00
japonica, var. halliana. 1 to 2 ft., heavy 35 morrowii. 3 to 4 ft	3 00 6 00	25 00
tatarica. 3 to 4 ft	6 00 5 00	
Malus coronaria. 1 to 2 ft	5 00 1 50	12 50
Oxydendrum arboreum. 1 to 2 ft	4 00 6 00	
*Pachysandra terminalis. Strong plants	$\frac{4}{12} \frac{00}{50}$	30 00 100 00
3 to 3 i it 2 00	17 - 50	150 00
31 to 4 ft	25 00 35 00	
*concolor. See Ables. *excelsa. 3 to 4 ft	10 00	90 00
4 to 5 ft		
3 to 4 ft	$\frac{17}{22} \frac{50}{50}$	
4 to 5 ft	32 50	
*pungens glanca pendula.  Specimen*, 3 to 5 ft\$4 to 6 00	00.50	000.00
*pungens kosteri. 1 to 1½ ft	32 50	200 00 300 00
2 to 3 ft	40 00 50 00	
EVERGREENS ARE MARKED WITH A ST	FAR (*)	
, 3		

3



Tsuga carolinianum

EVERGREEN AND DECIDUOUS TREES AN	D S	HBUBS	i, con-
*Plnus austriaca. 3 to 4 ft	50	\$12.50	100
*bankslana. 7 to 8 ft		22 50	
*cembra. 1 to 1 ft		12 50	
4 to 5 ft., specimeas S	00		
*dlvarleata. 1 to 2 ft	65	5 00	\$40 00
2 to 3 ft	80	7 00	60 00
3 to 4 ft 1	00	8 50	• • • • •
*flexIlls. 1 to 2 ft	65	5 00	40 00
*murrayana. 2 to 3 it	80	7 00	
*parviflora. 21 to 3 ft	00		
*ponderosa. 6 to 12 iu	25	2 00	
1 to 2 ft	50	4 00	
*pungens. 2 to 3 ft	60	5 00	
3 to 4 [t 1		8 50	
1 to 6 ft 1		$12 \ 50$	
*rlglda. 3 to 4 ft		8 50	
*strobus. 1 to 2 ft	35	3 00	25 00
2 to 3 ft	60	5 00	45 00
5 to 6 ft	50	30 00	
6 to 8 ft	50	40 00	
*sylvestris. 3 to 4 ft	50	12 50	
*Pseudotsuga douglasil glauca. 3 to 4 ft	00	1 00	80.00
1 to 9 ft	50	4 00	30 00
1 to 2 ft	00	8 50	75 00
	00	17 50	150 00
Quereus macrocarpa. 4 to 6 ft	00 50	$\begin{array}{cccc} 25 & 00 \\ 12 & 50 \end{array}$	225 00
palustris. 8 to 10 ft	75	15 00	
prinus. 1 to 6 ft	75	6 00	
rubra. 4 to 6 ft.	75	6 00	
*Rhododendron catawblense. 6 to 9 ia	30	2 50	22 50
1 to 1½ ft., elumps 1	75	17 00	125 00
11 to 2 ft., elumps	50	22 50	200 00
2 to 3 ft., clumps 3	50	32 50	200 00
3 to 1 ft 6	00	50 00	
4 to 5 it., clumps S.	.00		
3 to 6 II., extra specimeasSS to 15	00		
*maximum. 9 to 12 in	25	2 00	17 50
1 to 1 ft	40	3 00	25 00
14 to 2 it	75	6 00	50 00
1 to 1\frac{1}{2} ft. clumps	00	9 00	80 00
11 to 2 ft., elumps 1	75	15 00	125 00
2 to 3 ft., clumps 2	50	22 50	
3 to 4 ft., chimps 4	00	37 50	
l to 6 ft , specimens\$5 to 10	00		
*carolinianum (punctatum.) 6 to 9 ia	50	4 00	30 00
9 to 12 in	75	6 00	50 00
9 to 12 in., clumps	50	12 50	100 00
1 to 1½ ft., clumps 2	00	17 50	150 00
1½ to 2 ft., elumps	50	32 50	
EVED CREENE ARE MARKED WARMEN	00	50 00	
EVERGREENS ARE MARKED WITH A	ST	AR (*)	

#### EVERGREEN AND DECIDUOUS TREES AND SHRUBS, con.

\*Rhododendron Hybrids. Hardiest varieties, including the following:
Abraham Lincoln, album elegans, grandiflorum, caractacus,
catawbiense alba, everestianum, General Grant, Mrs. Milner
and others, according to size and selection, \$1.50 to \$4 cach.

catawbiense alba, everestianum, General G	rant	, N	Irs.	Mili	aer
and others, according to size and selection, \$1.5	0 to :	\$4	cach		
*Rhododendrons in Car-lots, for prices and					
details see Highlands Nursery Catalog,					
page 11. Each	ch	]	10	10	0
Rhus eotinoides. 6 to Sft\$3 to \$6	00				
Rosa rugosa. 1 to 1) ft		\$3	50	\$30	00
14 to 2 it	60		00		00
alba. I to 1 tt	50	-	00		00
Sassafras officinale. 2 to 3 ft	75		00		00
Spiræa Anthony Waterer, 1 to 11 ft	35	_	00	95	00
1½ to 2 ft	60	_	00		00
salieifolia. 1 to 2 ft., "Collected" clumps 1			00	-20	00
tomentosum, 1 to 2 it., "Collected" clumps 1			00		
thunbergii. 2 to 3 ft	50		00	30	00
van houttei. 2 to 3 ft	50	_	00		00
3 to 4 ft	75		00		őő
3 to 4 ft	75		00	-	00
Stuartia pentagyna. 1 to 2 ft	00	_	50		
Symphoricarpos racemosus. 3 to 4 ft	75	6	00	50	00
vuigaris, 2 to 3 ft	50		00		00
Syringa vulgaris. 1 to 2 ft., clumps	40		ŏŏ		ŏŏ
3 to 4 ft., clumps	75		00		őő
alba. 11 to 2 ft., clumps	40		00	-	őő
2 to 3 ft., clumps	00		50	75	õõ
3 to 4 ft., clumps 1	50		50	100	ÕÕ
Named Varieties, 1 to 3 ft50 cts. to 1	50				
*Taxus canadensis. 6 to S in	50	4	00	30	00
S to 10 in	75	6	00	50	00
10 to 12 iu 1	00	$\mathbf{s}$	50	75	00
Thuya sibirica. 1 to 1\ft	65	-1	<b>n</b> 0		
*globosa 2 to 3 ft 1		12	50		
*Tsuga eanadensis. 1 to 1\ft	30 :	32	00	\$17	
1½ to 2 ft	50	1	00	30	
		l.5		125	00
		25			
	00 ;	35	00		
*carolinianum. Carolina Hemlock. 3 to 6 ft. \$3 to 15	00				
Ulmus campestris. S to 12 ft		22	50		
Vaccinium corymbosum.					
1 to 2 ft., "Collected" clumps		6	00	50	00
2 to 3 ft., "Collected" clumps 3 to 4 ft., "Collected" clumps	3	12	50	100	
3 to 4 ft., "Collected" clumps	:	30		250	
*macrocarpon. "Collected" clumps		-1		30	
pennsylvanieum. "Collected" clumps		1	00	8	00



EVERGREENS ARE MARKED WITH A STAR (\*)

EVERGREEN AND DECIDUOUS TREES AND SI	HRUBS,	con.
Each	10	100
Viburnum acerifolium. 1 to 1½ ft\$0 40	\$3 00	
alnifolium. 2 to 3 it	6 00	
cassinoides. 2 to 3 ft	4 00	
3 to 4 ft 1 00	8 50	
4 to 6 ft 2 00	18 00	
dentatum. 4 to 6 ft., heavy clumps 2 50	20 00	
dilatatum. 1½ to 2 it	5 00	
molie. 1½ to 2 ft	4 00	
opulus. 2 to 3 ft	4 00	
oxycoccus. 11 to 2 ft	3 00	
prunifolium. 1 to 3 ft 60	5 00	
tomentosum. 2 to 3 ft 50	4 00	\$30 00
3 to 4 ft	6 00	50 00
*Vinea minor	1 25	10 00
*alba	2 00	17 50
Vitis, Concord. Very heavy 75	6 00	50 00
Weigela, in variety. 2 to 3 ft	4 00	
Xanthorrhiza apiifolia. 6 to 12 in., elumps 50	4 00	30 00
*Yucca flaccida. Clumps 50	4 00	30 00

### Hardy Herbacous Vines, Perennials and Bog Plants

We are prepared to supply any Hardy Herbaecous Perennials at reasonable prices which fit the quality of stock desired. Weak plants are cheaper and strong elumpy stock is always recommended. Special attention is called to our fine list of Hardy Ferns.

eatled to but fine fist of Trainty Terms.		
Per 10	100	1.000
Actæa rubra\$2 50	\$20 00	
Asters, in variety 1 25	10 00	
Baptisia tinctoria. Heavy clumps	10 00	
Bicucuiia (Dicentra) eximia		
spectabileeach, 35 cts 3 00		
Brodieas should be ordered in summer and in		
no event later than October 1, for the		
current season's shipment.		
californica	4 00	\$35 00
capita. Blue	2 00	15 00
coccinca. 2 to 1 in. diameter 60	4 00	35 00
grandiflora. Blue	2 00	15 00
ixloides spiendens. Very fine yellow 40	2.50	22 00
iaxa. Fine; blue in numbels	2 00	15 00
peduncularis. White. Fine for wet places 40		22 00
volubilis. Twining hyacinth 5 to 8 in. diam 60		35 00
Calochortus albus. Pearly white 30		15 00
bentinamii. A churming yellow cup 30		15 00
catainne. Lilac; fine eye		10 00
gunnissonii. Superb; white; hardy		
		35 00
icicitinii. Smoky white, Alpine i 00 iiincinus. Satiny lilac 30		15 00
The state of the s		15 00
The state of the s		10 00
The state of the s	3 00	
nitidus. Very fine. Lilar, purple blotched;	2 00	05.00
hardy		25 00
piummerre. Superb. Fine lilac 1 50		0.5
spiendens type. Fine lilac 1 00		35 00
venustus citrinus. Deep yellow 30		15 00
vonuatus ocuințus. White or tinted lilac 30		15 00
venustus purpurascens. Purple i 00		35 00
vonustua roscus! i 00		35 00
vesta. Finest Mariposa tulip. Very fine bulbs. 1 25	6 00	45 00



Cypripedium regins (see page 7)

### CATALOG OF SALEM AND BOXFORD NURSERIES Hardy American Plants Rhododendrons and Azaleas

HARDY HERBACEOUS VINES, PERENNIALS, E		
Caltha palustris.         Per 10           Castalia odorata.         \$1 25           Castalia odorata.         1 25	100 \$10 00 10 00	1,000
1 25   1 25   1 25	10 00	
Clematis aplifolia, Heavy, each, 40 cts. 3 50	10 00	
crispa. Strong	30 00 30 00	
3 years	$\frac{45}{35} \frac{00}{00}$	
Convallaria majalis 1 00 Cypripedium acaulo 1 25	S 00 10 00	
regine. 1 to 2 crowns.       2 50         3 to 4 crowns.       6 00	20 00 50 00	
5 to 6 crowns. 10 00 7 to 8 crowns. 12 00	$ \begin{array}{ccc} 80 & 00 \\ 100 & 00 \end{array} $	
Drosera rotundifolia. 1 00 Erythronium albidum 1 50	S 00	
americanum 50 grandiflorum. Bright yellow 1 00	$\frac{2}{4} \frac{00}{00}$	\$16 00 35 00
eltrinum. Light yellow, deep orange center 1 00 californicum. The standard cream sort 50	$\frac{4}{2} \frac{00}{00}$	$\frac{35}{16} \frac{00}{00}$
glganteum. True. Pure white	$\frac{4}{2} \frac{00}{00}$	35 00 16 00
revolutum. White, changing to nurnle 1 (a)	4 00 1 00	$35 00 \\ 35 00$
purpurascens. Handsome variety—from high mountains, where it endures great cold. Bright yellow turning to purple.		
Hardiest California variety, 6 to 12 in	4 (20)	DF 00
high	4 (00 10 00	35 00
plurifiora. Very fine. Nearly purple red 1 25	6 00 6 00	
coccinca. Deep crimson	4 00 6 00	35 00
recurva. Orange-scarlet. 7 to 1 in. diam	$\begin{array}{c} 3 \ 00 \\ 4 \ 00 \end{array}$	$\frac{25}{35} \frac{00}{00}$
Order Fritillarias before Oct. 1, if possible, Galax aphylla	18 00	
Habenarla elllaris. 1 00 Helenium autumnale. 1 00	8 00 8 00	
Helonias hullata. 1 25 Heuchera sanguinea. 1 25	10 00 10 00	
Humulus lupulus. 1 00 Hydrastis canadensis. 1 00	8 00 8 00	
Iris eristata	$\frac{10}{12} \frac{00}{00}$	
pseudacorus. 1 50 verna 1 50	$\frac{12}{10} \frac{50}{00}$	1
versicolor.         1 00           Limodorum (Calopogon) pulchellus.         1 50           Lilium eanadense.         1st size.         1 00	$\begin{array}{c} 8 & 00 \\ 12 & 00 \\ 8 & 00 \end{array}$	
2nd size	8 00	
carolinianum 1 50 columbianum 3 00	$\frac{12}{20} \frac{00}{00}$	
grayi. 1st size	$\frac{12}{20} \frac{00}{00}$	160 00
8 to 9 in, circumference	$\frac{25}{45} \frac{00}{00}$	180 00
kellogil	$\frac{15}{12} \frac{00}{50}$	70 00
Heavier         2 00           parryil         Medium         6 50	$\frac{16}{45} \frac{00}{00}$	
1.arge	$\frac{75}{30} \frac{00}{00}$	
hiladelphicum	$\frac{45}{8} \frac{00}{50}$	
rubescens. 6 50 speclosum 2 00	$\frac{45}{12} \frac{00}{00}$	
superbum. 1st size 1 00 washingtonianum, var. purpureum	8 00	
7 to 8 in, circumference	20 00 30 00	
9 to 12 in. circumference 6 50 Lycopodium, in variety 1 00	18 00 8 00	
Monarda, in variety.         1 25           Nymphæa advena.         1 25	10 00 10 00	
Orontlum aquaticum 1 00 Pæonies, in varlety. Strong clumps, each, 75c, 6 09	8 00 50 00	
Strong plants with 2 to 3 eyes I 75 Parnassia earoliniana	15 00 10 00	
Phlox decussata, in variety       2 00         subulata       1 00         subulata alba       1 00	8 00 8 00	
Pontederia cordata 1 00 Potentilla tridentata 1 00	8 00 8 00	•
Porteranthus (Gilienia) stipulatus. 1 00 Rhexia virginica. 1 00	8 00 8 00	
Sarracenia purpurea	10 00 8 00	
Sempervivum, in variety	12 00	

## Y'S Hardy American Plants Rhododendrons and Azaleas

#### CATALOG OF SALEM AND BOXFORD NURSERIES

HARDY HERBACEOUS VINES, PERENNIALS	, contin	ued
Solidago, in variety	100 \$10 00	1,000
Stenanthlum robustum, 1st size 3 00	26 00	
2nd size       1 50         Trilllum cernuum       1 00	$\begin{array}{ccc} 12 & 50 \\ 8 & 00 \end{array}$	
erectum. 1st size	5 00 3 00	\$30 00
ereetum album	10 00	18 00
grandiflorum. 1st size	3 50 1 50	20 00 12 00
nivale       1 25         recurvatum       1 25		12 00
sessile, var. eallfornieum 1 00	$\begin{array}{cc} 10 & 00 \\ 7 & 50 \end{array}$	5 <b>5 0</b> 0
sessile, var. Snow Queen.         1 00           stylosum. 1st size.         1 00	7 50 8 00	· 55 00 60 00
2nd size	1 00	
2nd size	$\begin{array}{c} 6 \ 00 \\ 4 \ 00 \end{array}$	$\frac{40}{30} \frac{00}{00}$
Thalletrum eornutl         1 00           Typha latifolia         1 00	8 00 8 00	
viola eornuta 1 00	8 00	60 00
pedata	$\begin{array}{c} 8 & 00 \\ 14 & 00 \end{array}$	
Hardy Native Ferns		
Adlantum pedatum. Maidenhair Fern. Per 10	100	1 000
Aspidium (Dryopteris) aerostiehoides. Dagger	\$S 50	\$75 00
Fern. 8 to 20 in	$\frac{6}{12} \frac{00}{50}$	50 00
eristatum. 1 to 2 ft	$\frac{6}{8} \frac{00}{50}$	
fillx-mas. 12 to 44 in	12 - 50	
marginalis. Shield Fern. 12 to 28 in. 75	$\begin{array}{ccc} 12 & 50 \\ 6 & 00 \end{array}$	50 00
munitum. Chamissos Shield Fern. 2 00 noveboracensis. New York Fern. 75	$\begin{array}{c} 17 \ 50 \\ 6 \ 00 \end{array}$	
spinulosa. Spinulose Shield Fern	$\frac{8}{12} \frac{00}{50}$	
thelypterls. Marsh Shield Fern 1 00	8 00	
Asplenium angustifolium. 3 to 4 in. 1 25 ebencum. 9 to 18 in. 1 00	10 00 8 00	
fillx-femina. Lady Fern. 16 to 40 in	S 00 8 00	
trichomanes. Maidenhair Spleenwort. 3 to Sin. 1 00	8 00	
<b>obliquum</b> . 4 to 16 in	8 00 8 00	
virginianum. Virginia Grape Fern. 1 to 2 ft 1 00 Camptosorus rhizophyllus. Walking Fern.	8 00	
4 to 12 in	10 00	
Cryptogramma rerosticholdes. 4 to 8 in 1 00	8 00	
Cystopteris bulbifera. Bladder Fern. 1 to 2 ft 75 fragilis. Brittle Fern. 1 to 12 in	6 00 8 00	
Dicksonia punetllobula. Hay-scented Fern.		
20 to 40 in	$\begin{array}{ccc} 8 & 00 \\ 12 & 50 \end{array}$	60 00
Onoelea sensibilis. Sensitive Fern. 4 to 12 in 1 00 struthlopteris. 2 to 10 ft 1 00	8 00 8 00	60 00
Opmoglossum vuigatum. 2 to 42 in	S 00	
Osmunda elnnamomea. Cinnamon Fern. 32 to 63 in	12 00	100 00
elaytoniana.         Clayton's Fern.         2 to 4 ft	12 00 8 00	100 00
regalls. Royal Fern. 12 to 63 in	12 00	
4 to 21 in 1 50	12 00	
densa	8 00 12 00	
Phegopteris dryopteris. Oak Fern. 6 to 10 in 1 00 hexagonoptera. Broad Beech Fern. 7 to 12 in. 1 00	8 00 S 00	
polypodioldes, 4 to 8 in 1 00	8 00	
Folypodium falcatum. 6 to 15 in	10 00 6 00	45 00
Pteris aqulilna. Common Brake. 4 to 36 in 75	5 00	30 00
Seolopendrium vulgaro	20 00 8 00	
obtusa. Blunt-lobed Woodeia. S to 20 in 1 00 Woodwardia angustifolla	8 00 12 50	
virglniea. Virginia Chain Fern. 24 to 64 in 1 00	8 00	
Send all orders and address all corresponden	ce to	

### HARLAN P. KELSEY

(Landscape Department)

Empire Theatre Building

Salem, Mass.